Doc No: MHCPL-EHS-PTW-13



Permit To Work Report - Blasting Work (Permit UID - PTW/AKR/AMBUJA/BL/0010)

Permit Information

Type of permit	Name of project/site	Contractor company	Name of client/contractor
Blasting Work	Akrida	Ambuja Cement	Lalit Requestor

Work Information

Start date / Close Date	2/7/2025 12:00:00 AM / 2/7/2025 12:00:00 AM	Work location	
Start time / End time	2/8/2025 8:34:00 PM / 2/8/2025 11:00:00 PM	Reference permit no.	
No. of workers	NA	Tools/ equipment to be used	
Scope of work			
Description of work			

Sections

Hazards

Fly Rock □	Dust	Fumes [Toxic Gases □
Miss-Fires □	Explosion	Fire	Vibration ☐
Noise	Other Hazards:		
Precautions Taken			
		-: :: -: =	

Licensed Blaster	Blasting NOC	Blasting Siren □	HIRA Undertaken ☐
Signage's Provided □	Blasting SOP □	I Controlled Blasting I	Separate Containers for Explosive & ED's □
Awareness on expected emergencies ? ☐	Other Precautions:		

Toolbox Talks

Topics discussed: At	Attach photo:
----------------------	---------------

Job Specific PPEs

Safety Helmet □	Safety Shoes	Ear Plugs / Muffs 🔲	Reflective Vest
Hand Gloves	Nose Mask	Goggles 🗖	Other PPE's:

Safety Considerations

The blaster must possess a valid license.: No	Explosive to be transported in road, in an Explosive van.: No	Explosive should not be carried in the same vehicle with detonators.: No	Vehicle should be equipped with a non-sparking metal or wooden floor.: No
Do not use damaged/deteriorated explosives and accessories.: No	No holes should be loaded except those that are to be fired in the next round of blasting. Holes loaded during one shift should be fired on the same shift.: No	Post guards with red flags at a safe distance around the site to prevent persons approaching the danger area inadvertently while the shots are being fired.: No	Ensure to handle miss-fires by authorised blaster.: No
Carryout blasting is in day light hours only.: No	All Blasting's should be controlled/muffed blasting's.: No		

Approval and authorization

Requestor	Issuer	Approver	Reviewer
Name: Lalit Requestor Phone: +9199599933629 Requested On: 07-Feb-2025 08:35:01 PM	Name: Sephali Kumari Phone: +9199599933625 Issued On: 07-Feb-2025 08:36:44 PM	Name: NA Phone: NA Approved On: NA	Name: NA Phone: NA Reviewed On: NA

Permit To Work History

Created On	Created By	Comment	Attachments
------------	------------	---------	-------------

07-Feb-2025 10:51:05 PM	Pratham -Approver	The status has changed to Validation_Approved.	
07-Feb-2025 10:51:05 PM	Pratham -Approver	The status has changed to Validation_Approved.	
07-Feb-2025 10:51:05 PM	Pratham -Approver	The status has changed to Validation_Approved.	
07-Feb-2025 10:51:05 PM	Pratham -Approver	The status has changed to Validation_Approved.	
07-Feb-2025 10:51:05 PM	Pratham -Approver	The status has changed to Validation_Approved.	
07-Feb-2025 10:48:46 PM	Sephali Kumari	The status has changed to Validation_Issued. Assigned Approver: Pratham -Approver	
07-Feb-2025 10:48:46 PM	Sephali Kumari	The status has changed to Validation_Issued. Assigned Approver: Pratham -Approver	
07-Feb-2025 10:46:30 PM	Sephali Kumari	The status has changed to Validation_Issued. Assigned Approver: Pratham -Approver	
07-Feb-2025 10:46:01 PM	Sephali Kumari	The status has changed to Validation_Issued. Assigned Approver: Pratham -Approver	
07-Feb-2025 10:43:08 PM	Lalit Requestor	Status changed to Validation requested. Following changes are made: PtwUsersInvolved: System.Collections.Generic.List`1[System.Int32] PtwOtherUsersInvolved: Latitude: 12.9836045 Longitude: 77.6559819 Assigned Issuer: Sephali Kumari	
07-Feb-2025 10:43:08 PM	Lalit Requestor	Status changed to Validation requested. Following changes are made: PtwUsersInvolved: System.Collections.Generic.List`1[System.Int32] PtwOtherUsersInvolved: Latitude: 12.9836045 Longitude: 77.6559819 Assigned Issuer: Sephali Kumari	
07-Feb-2025 08:36:44 PM	Sephali Kumari	The status has changed to Issued. Assigned Approver: Pratham -Approver	
07-Feb-2025 08:35:01 PM	Lalit Requestor	The status has changed to Requested. Assigned Issuer: Sephali Kumari	